
Solar + Storage + IoT + LED = \$30 Trillion

S. Keshav


School of Computer Science
University of Waterloo
Waterloo, Ontario, Canada


http://iss4e.ca





But we have a choice...






25 April 1954 Bell Laboratories

Chapin, Fuller and Pearson.



From a solar cell to a PV System



Solar Array



Electricity Meter

AC Isolator

Fusebox

Inverter

PV-System

Battery

Charge Controller


Generation Meter

DC Isolator


Cabling

Mounting

Tracking System



Solar Panel
















Topaz solar farm, California 25.6 km² 9 million panels




Solar PV is growing as fast as cell phones




Swanson's Law




Positive feedback loop



Swanson's Law





3 characteristics of solar generation


- 1. Sunlight is free!
 - Near-zero OPEX, all cost is CAPEX

3 characteristics of solar generation

- 1. Sunlight is free!
 - Near-zero OPEX, all cost is CAPEX
- 2. 20-25 year nearly maintenance-free lifetime


3 characteristics of solar generation


- 1. Sunlight is free!
 - Near-zero OPEX, all cost is CAPEX
- 2. 20-25 year nearly maintenance-free lifetime
- 3. Amount of generation over lifetime depends on geography




Effective cost per kWh (units of energy)









Impact of CAPEX reduction




Impact of geography




Compare to conventional



CAPEX trend



Conventional energy trend



Solar wins! Everywhere!

The solar revolution ...




... will be led by the accountants






Unfortunately...


Problem 1: No sun at night...



Solution: use solar by day and grid by night




Problem 2: excess solar generation



Solution: use 'free energy' for something



Problem 3: Variability



Solution: storage

Storage decouples supply and demand




Storage is hot...

Global investment in energy storage technologies to reach \$122 Billion by 2021




Source: Pike Research



LITHIUM-ION EV BATTERY EXPERIENCE CURVE COMPARED WITH SOLAR PV EXPERIENCE CURVE







Note: Prices are in real (2014) USD.

Source: Bloomberg New Energy Finance, Maycock, Battery University, MIT

Positive feedback loop



Why?



Nissan Leaf chassis

Tesla gigafactory







Figure 22: EV, H/EV and PHEV competitiveness versus ICE




Annual EV sales






Positive feedback loop



EVs in Canada




In other news...

Building lighting accounts for 30% of building

electricity use

Cost: \$230 Billion/year







Incandescent: CFL: LED

10 : 2 : 1

LED cost projection



Global Lighting Market



- Annual shipments of 14B units – declining to 10B due to longer lifetime of LED Bulbs
- All lighting technologies flat, except incandescents that will decline
- LED experiencing explosive growth and capture 25% share by 2017


Source: Datapoint, Corporate Marketing

ON Semiconductor




10

Positive feedback loop



To sum up...


Solar, storage, and LEDs are all declining exponentially in price



But something is missing...

Sensing and control


Why?



Conventional grid




Generation




Load


Future grid




Generation




Load




Future grid





Generation






Need to forecast, monitor and control...






Internet of Things

Micro sensors






Pervasive communication



Pervasive control











IoT allows pervasive communication, sensing, computation, control

The 50 billion question

Worldwide number of internet-connected devices, forecast, bn



Positive feedback loop




O wonder!

How many goodly creatures are there here! How beauteous mankind is! O brave new world, That has such people in't.


ACT V SCENE II, THE TEMPEST, W. SHAKESPEARE




Renewable generation




Demand-side management



Storage management




Sensing, communication, and control







Global transport expenditure estimates to 2050






1.05 Trillion/yr

Electric Utility Annual Revenues:

1 Trillion/year




0.5 Trillion/yr

Utilities 50% solar/wind supply

1.05 Trillion/yr

The 50 billion question

Worldwide number of internet-connected devices, forecast, bn



IoT spending

- = 10% of revenue
- = 0.1 Trillion/year


0.1 Trillion/yr

IoT spending

0.5 Trillion/yr

Utilities 50% solar/wind supply

1.05 Trillion/yr



Cost reduction from LED lighting: \$.2 Trillion/year

0.2 Trillion/yr

Demand-side savings from LED lighting

0.1 Trillion/yr

IoT spend

0.5 Trillion/yr

Utilities 50% solar/wind supply

1.05 Trillion/yr

\$1.85 Trillion/year of economic disruption

0.2 Trillion/yr

Demand-side savings from LED lighting


0.1 Trillion/yr loT spend

0.5 Trillion/yr Utilities 50% solar/wind supply


1.05 Trillion/yr



I'm lying...



Well, perhaps not



Buffett Ready to Double \$15 Billion Solar, Wind Bet

China Aims to Spend at Least \$360 Billion on Renewable Energy by 2020

Apple Invests \$3 Billion in Solar Energy

By Bill Gates: Why I'm investing \$1 billion of my own money into clean energy research

Japan to Invest \$20 Billion in Indian Solar Power



timesofindia

Power minister Piyush Goyal and French environment minister Segolene Royal announced the solar finance programme that aims to lower the cost of finance and facilitate the flow of more than \$1 trillion investment to members of the International Solar Alliance (ISA).

Information Systems and Science for Energy Laboratory

Mission



To use information systems and science to

- increase the efficiency
- reduce the carbon footprint

of energy systems

Contexts

Smart homes and buildings

Distribution networks

Distributed generation

New technologies

Solar and wind

Storage

Electric vehicles

LED lighting

Pervasive computation and communication

Approaches

Internet-inspired

Energy system design

Data-driven analysis

Optimization

ISS4E

http://iss4e.ca

A pond fills with pond scum. The scum doubles daily. The pond fills on the 30th day.



When is the pond half full?



NSERC IIIIIIICRSNG CISCO

Acknowledgments

